CUMULATIVE AUTHOR INDEX
Annals of the Entomological Society of America
Volume 91, 1998

A

Abe, T., 515
Ahmad, I., 800
Aldrich, J. C., 858
Al-Saffar, Z. Y., 858
Aluja, M., 821
Amédégnato, C., 532
Anken, R. H., 759
Arias, M. C., 52
Arita, Y., 852
Asis, J. D., 598
Austin, A. D., 359
Awande, S., 741

B

Barbosa, P., 303, 647
Barraclough, T. G., 185
Barron, J. R., 87
Barrows, E. M., 195
Berger, P. H., 661
Black, W. C., IV, 590
Borgemeister, C., 741, 872
Breed, M. D., 754
Broers, D. A., 81

C

Calvitti, M., 813
Cardé, R. T., 211
Carey, J. R., 43, 430
Carpenter, J. E., 748
Carroll, S. P., 159
Cartwright, B., 761
Carvalho, L. A., 139
Castaño-Meneses, G., 779
Castle, S. J., 661
Charlton, M., 879
Charlton, R. E., 879
Chiappini, E., 549
Cirio, U., 813
Cisneros, R., 392, 479
Clay, S. A., 619
Clifton, M. J., 700
Cohen, A. C., 94
Collins, A. M., 52
Cortes Figueira, J. E., 404
Crawford, R. L., 356
Cribb, B. W., 202
Crozier, R. H., 700
Cruz, Y. P., 808
Cunard, S. J., 754
Cushing, P. E., 626
Cusson, M., 87

D

Danforth, B. N., 387
De Clercq, P., 315
Degrandi-Hoffman, G., 52
Degrugillier, M. E., 771
de León, T., 608
Deverno, L. L., 248
DeVries, P. J., 358
Diaz, E., 479
Dietrich, C. H., 590
Dively, G., 647
Doucet, D., 87
Duzak, D., 308
Dyby, S. D., 350

E

Ebbert, M. A., 758
Eberhard, W. G., 863
Ebert, T. A., 761
Edwards, M. J., 415
Edwards, O. R., 654
Eger, J. E., 452
Eitan, O., 422
Ellsbury, M. M., 619
Escher, R. L., 308
Evans, E. W., 632

F

Fargo, W. S., 761
Fernandes, G. W., 404
Fisher, B. L., 155
Fitzgerald, S. J., 590
Forcella, F., 619
Foster, J. E., 719
Fox, C. W., 128

G

Galante, E., 298
Gayubo, S. F., 598
Goergen, G., 741
Goulet, H., 87
Greenberg, B., 818
Greenstone, M. H., 415
Griffith, M. B., 195

H

Hall, F. R., 217, 761
Hammond, P. C., 323
Harrison, K. J., 248
Head, G., 217
Heiling, A. M., 135
Heilman, B. D., 122
Heinz, K. M., 726
Hellenthal, R. A., 782
Hendrichs, J., 228
Hendrichs, M. A., 228
Herberstein, M. E., 135
Hetrick, N. D., 497
Hinojosa, T., 81
Hodges, R. W., 361
Holmberg, N. J., 466
Holmes, J. L., 590
Honda, J., 410
Horton, D. R., 81
Houck, M. A., 335
Houghton, D. C., 59
Howard, R. W., 101, 879
Hoy, C. W., 217
Hoy, M. A., 654, 730
Hull, C. D., 202
Hunt, J. H., 466
Huntington, E. R., 458
Husband, R. W., 279

I

Iguchi, Y., 845
Itô, Y., 493
Iwasaki, Y., 235
Iyengar, E. V., 524

J

Jackson, D. M., 145

Jang, E. B., 139
Jarial, M. S., 685
Jewett, D. K., 748
Jeyaprakash, A., 730
Johnson, Z. B., 641
Jorigtoo, 848
Judd, D. D., 572
Juliano, S. A., 33

K

Kato, M., 71
Katovich, K., 288
Katsoyannos, B. I., 43, 430
Katzner, T. E., 808
Keena, M. A., 710
Kennedy, J. H., 641
Kfir, R., 164
Kitade, O., 515
Kodama, R., 852
Kouloussis, N. A., 43
Krombein, K. V., 598

L

Lance, D. R., 139
Landolt, P. J., 355
Levine, S. J., 288
Lewis, T. M., 81
Li, J., 726
Lin, J.-T., 113
Lin, N.-Q., 549
Lockwood, J. A., 848
Loper, G. M., 52
Lopez, G., 730
López, M., 821
Lopez Arroyo, J. I., 608
Lounibos, L. P., 308
Loye, J. E., 159
Lugo-Ortiz, C. R., 1

M

Maekawa, K., 515
Mamuris, Z., 602
Margaritopoulos, J. T., 602
Markham, R. H., 741, 872
Martin, E. A., 308
Martin, J. H., 52
Matsumoto, T., 515
Maxwell, M. R., 422
Mbata, G. N., 840
McCafferty, W. P., 1
McInnis, D. O., 139
McPherson, J. E., 800
Miaoulis, I. N., 122
Micó, E., 298
Miller, J. C., 323
Miller, L. J., 202
Mitchell, P. L., 387
Miura, T., 515
Mohaghegh, J., 315
Moore, C. J., 202
Morón, M.-A., 269
Morse, J. C., 497
Mousseau, T. A., 488
Mowry, T. M., 661
Moya-Raygoza, G., 668

N

Nannini, M. A., 33
Narisu, 848
Nault, L. R., 590, 668

O

Ochando, M. D., 222
O'Connor, B. M., 335
Odell, T. M., 710
Ohguchi, S., 27
Oldroyd, B. P., 700
Olvido, A. E., 488

P

Packauskas, R. J., 363, 452
Packer, L., 387, 890
Pagnotta, M. A., 458
Palacios-Vargas, J. G., 779
Palmer, M., 260
Panizzi, A. R., 445
Papadopoulos, N. T., 430
Park, Y. I., 329
Parker, K., 700
Pasquali, A., 813
Peck, D. C., 435
Penny, N. D., 357
Perondini, A. L. P., 473
Perry, S. A., 195
Pesek, J. D., 397
Pillai, M. K. K., 834
Poehling, H.-M., 872
Pollock, D. D., 524
Pornkulwat, S., 719
Poulain, S., 532
Powell, J. E., 619
Price, R. D., 782
Pruett, S., 677

R

Raghavendra, K., 834
Ramaswamy, S. B., 329, 677, 840
Rashbrook, V. K., 524
Régnière, J., 87
Remotti, P. C., 813
Reyes, A., 222
Richards, D. R., 632
Riddick, E. W., 303, 647
Riedell, W. E., 619
Riggs, A. K., 641
Rinderer, T. E., 700
Rivers, D. B., 458
Roehrdanz, R. L., 771
Rossi, A. M., 466
Rumph, J. A., 693

S

Sakamaki, Y., 852
Sakurai, T., 737
Salinas-Moreno, Y., 392
Sánchez, V., 211
Santos, C. H., 445
Schaefer, C. W., 363, 395, 452, 760, 848, 895
Schaffner, J. C., 395
Schilthuizen, M., 410
Scholz, D., 741, 872
Selivon, D., 473
Sharma, V. P., 834
Sheppard, W. S., 52
Sherman, W. R., 466
Shu, S., 840
Sivinski, J., 821
Skoda, S. R., 719
Sláma, K., 168
Smith, G. A., 248
Smith, J. W., 239
Smith, S. R., 466
Solís, A., 269
Spitzer, G., 135
Stewart, K. W., 59
Stouthamer, R., 410

Subbarao, S. K., 834

T
Tanaka, M. O., 404
Tanner, J. A., 710
Tauber, C. A., 608
Tauber, M. J., 608
Tchabi, A., 741, 872
Teixeira De Souza, A. L., 404
Thomas, G. D., 719
Thompson, J. N., Jr., 894
Tilmon, K. J., 397
Tirry, L., 315
Tormos, J., 598
Tsitsipis, J. A., 602
Tsuchida, K., 27
Turner, W. J., 693

U
Uria-Galicia, E., 479

V
Van Giessen, W. A., 145
Verdú, J. R., 298
Vogler, A. P., 185

W
Walker, T. J., 175
Watanabe, K., 852
Watkins, J. C., 52
Watt, W. B., 524
Weller, S. J., 892
Welsh, A., 185
West, J. L., 497
Wheeler, A. G., Jr., 94
Wongsiri, S., 700
Wood, T. K., 397
Woodson, W. D., 619
Wu, C.-Y., 113

Y
Yanega, D., 353
Yang, I.-F., 113
Yeates, D. K., 202
Yoshida, A., 852
Young, D. K., 288

Z
Zack, R. S., 758, 893, 897
Zeng, F., 677
Zuñiga, G., 392, 479

CUMULATIVE SUBJECT INDEX
Annals of the Entomological Society of America
Volume 91, 1998

12S ribosomal DNA,
  Dalbulus, 590
  mtDNA, 590

A

abundance,
  biodiversity, 323
  Lepidoptera, 323
Acanthocephala,
  Coreidae, 863
  sexual behavior, 863
Acari,
  E. quebecensis n. sp., 279
  Eutarsopolipus lindquisti n. sp., 279
Acrididae,
  Ecuador, 532
  endemism, 532
adults,
  Plecoptera, 195
  Trichoptera, 195
Ageniaspis citricola,
  polyembryony, 654
  superparasitism, 654
alfalfa,
  Coccinella septempunctata, 632
  Hypera postica, 632
allatectomy,
  Heliothis virescens, 329
  ventral nerve cord transection, 329
allometry,
  Allomyrina dichotoma septentrionalis, 845
  dimorphism, 845
Allomyrina dichotoma septentrionalis,
  allometry, 845
  dimorphism, 845
allozymes,
  Compsilura concinnata, 211
  Lymantria dispar, 211
Amiseginae,
  Chrysididae, 598
  preimaginal stages, 598
Anagasta kuehniella,
  Copidosomopsis tanytmema, 808
  polyembryonic parasitoid, 808
Anagrus,
  Mymaridae, 549
  taxonomy, 549
Anastrepha fraterculus,
  embryo, 473
  fruit flies, 473
Anastrepha suspensa,
  Plodia interpunctella, 350
  Podisus maculiventris, 350
Anopheles culicifacies,
  malathion resistance, 834
  sibling species, 834
Anthocoris,
  Deraeocoris, 81
  Orius, 81
Antitrogus spp.,
  Lepidiota frenchi, 202
  Rhopaea magnicornis, 202
Aphis gossypii,
  morphometric analysis, 761
  randomization tests, 761
Apis cerana,
  multiple mating, 700
  polyandry, 700
Apis mellifera, 52, 754
  defensive behavior, 754
  mating, 52
  population genetics, 52
  sting autotomy, 754
autocidal control,
  sterile insect technique, 813
  Trialeurodes vaporariorum, 813

B

Bacillus thuringiensis,
  endotoxin, 303
  transgenic plants, 303
bark beetle,
  Dendroctonus, 479
  Scolytidae, 479
basal infolding,
  epithelial cells, 685
  mitochondria, 685
behavior,
  Mediterranean fruit fly, 139
  sterile insect technique, 139
behavioral ecology,

Bethylidae, 879
ectoparasitoid, 879
Bethylidae,
behavioral ecology, 879
ectoparasitoid, 879
biodiversity, 155, 323
abundance, 323
conservation, 155
habitat fragmentation, 155
Lepidoptera, 323
biological control,
parasitoid, 164
Plutella xylostella, 164
bird,
blood-feeding, 159
ectoparasite, 159
Bittacus mastrillii,
nuptial feeding, 235
prolonged copulation, 235
blood-feeding,
bird, 159
ectoparasite, 159
boll weevil,
cotton, 239
eradication, 239
bollworm,
immunoassay, 677
tobacco budworm, 677
brain–prothoracic gland model,
ecdysteroid, 168
insect hormones, 168
Brochymena,
Parabrochymena, 800
taxonomic status, 800
Bruchidae,
electroantennogram, 840
mating effect, 840
butterfly,
thermoregulation, 122
thin films, 122

C

Cajanus cajan,
Glycine max, 445
Indigofera, 445
calling songs,
seasonal forms, 175
sibling species, 175
Calliphoridae,
Muscidae, 818
overwintering, 818
Carabidae,
ground beetles, 619
species diversity, 619
case-building behavior,
Culoptila cantha, 59
life history, 59
Centroptiloides complex,
new genera, 1
new species, 1
Cephalonomia tarsalis,
gender recognition, 101
pheromone, 101
Cerambycidae,
Prostephanus truncatus, 741
Teretriosoma nigrescens, 741
Ceratitis capitata, 43, 222, 228, 430
host infestation, 43
isozymes, 222
lek, 228
mitochondrial DNA, 222
overwintering, 430
population dynamics, 43
predation, 228
Tephritidae, 430
Choristoneura,
introgression, 248
randomly amplified polymorphic DNA, 248
chromosomes,
Dendroctonus, 392
Scolytidae, 392
Chrysididae,
Amiseginae, 598
preimaginal stages, 598
Chrysopidae,
diapause, 608
larval morphology, 608
Cicindela spp.,
DNA phylogeny, 185
tiger beetles, 185
cladistics,
Sabethine mosquitoes, 572
total evidence, 572
Coccinella septempunctata,
alfalfa, 632
Hypera postica, 632
Coleomegilla maculata,
Lebia grandis, 647
Leptinotarsa decemlineata, 647
Coleoptera, 404, 693
Collabismus clitellae, 404
Diptera, 693

Lepidoptera, 693
Solanaceae, 404
Coliadinae,
Colias, 524
Pieridae, 524
Colias,
Coliadinae, 524
Pieridae, 524
Collabismus clitellae,
Coleoptera, 404
Solanaceae, 404
compound eyes,
Mallada basalis, 113
Neuroptera, 113
Compsilura concinnata,
allozymes, 211
Lymantria dispar, 211
conservation,
biodiversity, 155
habitat fragmentation, 155
Copidosomopsis tanytmema,
Anagasta kuehniella, 808
polyembryonic parasitoid, 808
Coreidae,
Acanthocephala, 863
sexual behavior, 863
corn,
Dalbulus maidis, 668
evolution, 668
Corvidae,
Ischnocera, 782
Philopterus, 782
Costa Rica,
Cynodon nlemfuensis, 435
Pennisetum clandestinum, 435
Cotesia marginiventris,
Microplitis croceipes, 415
Microplitis demolitor, 415
cotton,
boll weevil, 239
eradication, 239
cricket,
development, 488
maternal effect, 488
cubital vein,
Piesma, 848
stridulatory apparatus, 848
Culoptila cantha,
case-building behavior, 59
life history, 59
Curculionoidea,
Phylloplatypus pandani n. sp., 71
Platypodidae, 71
Cynodon nlemfuensis,
Costa Rica, 435
Pennisetum clandestinum, 435
Cyrnellus fraternus,
microdistribution, 641
snags, 641
Cyrtocoridae, 363, 452
dimorphism (male), 363
Pentatomoidea, 363, 452
trichobothria, 452

D

Dalbulus,
12S ribosomal DNA, 590
mtDNA, 590
Dalbulus maidis,
corn, 668
evolution, 668
data analysis,
electrical penetration graph, 145
electronic monitoring, 145
defensive behavior, 754, 858
Apis mellifera, 754
Pnigalio nemati, 858
Pontania proxima, 858
sting autotomy, 754
Dendroctonus, 392, 479
bark beetle, 479
chromosomes, 392
Scolytidae, 392, 479
Deraeocoris,
Anthocoris, 81
Orius, 81
development,
cricket, 488
maternal effect, 488
diapause, 308, 608, 821
Chrysopidae, 608
feeding, 308
fruit flies, 821
larval morphology, 608
parasitoids, 821
subtropics, 308
Diapetimorpha introita,
Spodoptera exigua, 748
Spodoptera frugiperda, 748
dimorphism,
allometry, 845
Allomyrina dichotoma
septentrionalis, 845

dimorphism (male),
Cyrtocoridae, 363
Pentatomoidea, 363
Diptera,
Coleoptera, 693
Lepidoptera, 693
distribution,
Schoettella, 779
taxonomy, 779
DNA phylogeny,
Cicindela spp., 185
tiger beetles, 185
DNA sequencing,
Trichogramma, 410
Wolbachia, 410

E

E. quebecensis n. sp.,
Acari, 279
Eutarsopolipus lindquisti n. sp., 279
ecdysteroid,
brain–prothoracic gland model, 168
insect hormones, 168
ectoparasite,
bird, 159
blood-feeding, 159
ectoparasitoid,
behavioral ecology, 879
Bethylidae, 879
Ecuador,
Acrididae, 532
endemism, 532
egg weight,
maternal age, 315
Podisus maculiventris, 315
electrical penetration graph,
data analysis, 145
electronic monitoring, 145
electroantennogram,
Bruchidae, 840
mating effect, 840
electronic monitoring,
data analysis, 145
electrical penetration graph, 145
embryo,
Anastrepha fraterculus, 473
fruit flies, 473
Enchenopa,
genetic variation, 397
Membracidae, 397
endemism,
Acrididae, 532
Ecuador, 532
endotoxin,
Bacillus thuringiensis, 303
transgenic plants, 303
Enytus montanus,
seasonal biology, 87
Tranosema rostrale rostrale, 87
Epiponini,
Polistes, 466
Polybia, 466
epithelial cells,
basal infolding, 685
mitochondria, 685
eradication,
boll weevil, 239
cotton, 239
European corn borer,
molecular genetics, 719
random amplified polymorphic DNA–polymerase chain reaction, 719
Eutarsopolipus lindquisti n. sp.,
Acari, 279
E. quebecensis n. sp., 279
evolution,
corn, 668
Dalbulus maidis, 668
extrachromosomal plasmid DNA,
maternal microinjection, 730
Metaseiulus occidentalis, 730

F

feeding,
diapause, 308
subtropics, 308
first instars,
phylogeny, 497
Trichoptera, 497
fourlined plant bugs,
mirid, 94
pectinase, 94
fruit flies, 473, 821
Anastrepha fraterculus, 473
diapause, 821
embryo, 473
parasitoids, 821

G

gender recognition,
Cephalonomia tarsalis, 101
pheromone, 101

genetic correlation,
heritability, 726
Solenopsis invicta, 726
genetic diversity,
random amplified polymorphic DNA–polymerase chain reaction, 626
spider, 626
genetic variation, 128, 397
Enchenopa, 397
heritability, 128
Membracidae, 397
Stator limbatus, 128
Glycine max,
Cajanus cajan, 445
Indigofera, 445
ground beetles,
Carabidae, 619
species diversity, 619

H

habitat fragmentation,
biodiversity, 155
conservation, 155
habitat,
Phyllophaga, 288
soil, 288
Halictus,
sibling species, 387
sympatry, 387
Heliothis virescens,
allatectomy, 329
ventral nerve cord transection, 329
Hemiptera,
Megalotomus, 395
Neomegalotomus, 395
Hemisarcoptes,
morphometrics, 335
multivariate analysis, 335
heritability, 128, 726
genetic correlation, 726
genetic variation, 128
Solenopsis invicta, 726
Stator limbatus, 128
host infestation,
Ceratitis capitata, 43
population dynamics, 43
host plant relations,
host range, 661
transmission mechanisms, 661
host range,
host plant relations, 661
transmission mechanisms, 661
Hypera postica,
alfalfa, 632
Coccinella septempunctata, 632

I

immunoassay,
bollworm, 677
tobacco budworm, 677
Indigofera,
Cajanus cajan, 445
Glycine max, 445
insect hormones,
brain–prothoracic gland model, 168
ecdysteroid, 168
insecticide resistance,
Plutella xylostella, 217
quantitative genetics, 217
introgression,
Choristoneura, 248
randomly amplified polymorphic DNA, 248
Iris oratoria,
range expansion, 422
Stagmomantis limbata, 422
iron bioavailability,
Lymantria dispar, 710
maternal effects, 710
Ischnocera,
Corvidae, 782
Philopterus, 782
isozymes,
Ceratitis capitata, 222
mitochondrial DNA, 222

L

larval morphology,
Chrysopidae, 608
diapause, 608
Lebia grandis,
Coleomegilla maculata, 647
Leptinotarsa decemlineata, 647
lek,
Ceratitis capitata, 228
predation, 228
Lepidiota frenchi,
Antitrogus spp., 202
Rhopaea magnicornis, 202
Lepidoptera, 323, 693
abundance, 323
biodiversity, 323

Coleoptera, 693
Diptera, 693
Leptinotarsa decemlineata,
Coleomegilla maculata, 647
Lebia grandis, 647
life history,
case-building behavior, 59
Culoptila cantha, 59
long polymerase chain reaction,
mitochondrial DNA, 771
restriction fragment-length polymorphism, 771
Lymantria dispar, 211, 710
allozymes, 211
Compsilura concinnata, 211
iron bioavailability, 710
maternal effects, 710

M

Magicicada,
Mogania minuta, 493
periodical cicada, 493
malathion resistance,
Anopheles culicifacies, 834
sibling species, 834
Mallada basalis,
compound eyes, 113
Neuroptera, 113
maternal age,
egg weight, 315
Podisus maculiventris, 315
maternal effect,
cricket, 488
development, 488
maternal effects,
iron bioavailability, 710
Lymantria dispar, 710
maternal microinjection,
extrachromosomal plasmid DNA, 730
Metaseiulus occidentalis, 730
mating,
Apis mellifera, 52
population genetics, 52
mating behavior,
Pnticulothrips diosyrosi, 27
sex ratio, 27
mating effect,
Bruchidae, 840
electroantennogram, 840
Mediterranean brushwood,
Mediterranean wetland, 298
Scarabaeoidea, 298
Mediterranean fruit fly,
behavior, 139
sterile insect technique, 139
Mediterranean wetland,
Mediterranean brushwood, 298
Scarabaeoidea, 298
Megalotomus,
Hemiptera, 395
Neomegalotomus, 395
Membracidae,
Enchenopa, 397
genetic variation, 397
Metaseiulus occidentalis,
extrachromosomal plasmid DNA, 730
maternal microinjection, 730
microdistribution,
Cyrnellus fraternus, 641
snags, 641
Microplitis croceipes,
Cotesia marginiventris, 415
Microplitis demolitor, 415
Microplitis demolitor,
Cotesia marginiventris, 415
Microplitis croceipes, 415
mirid,
fourlined plant bugs, 94
pectinase, 94
mitchondrial DNA,
molecular phylogeny, 515
Termitidae, 515
mitochondria,
basal infolding, 685
epithelial cells, 685
mitochondrial DNA, 222, 771
Ceratitis capitata, 222
isozymes, 222
long polymerase chain reaction, 771
restriction fragment-length polymorphism, 771
Mogania minuta,
Magicicada, 493
periodical cicada, 493
molecular genetics,
European corn borer, 719
random amplified polymorphic DNA–polymerase chain reaction, 719
molecular phylogeny,
mitchondrial DNA, 515

Termitidae, 515
morphogenesis,
plume moth, 852
pupal wing, 852
morphometric analysis,
Aphis gossypii, 761
randomization tests, 761
morphometrics,
Hemisarcoptes, 335
multivariate analysis, 335
mtDNA,
12S ribosomal DNA, 590
Dalbulus, 590
multiple mating,
Apis cerana, 700
polyandry, 700
multivariate analysis,
Hemisarcoptes, 335
morphometrics, 335
Muscidae,
Calliphoridae, 818
overwintering, 818
Muscidifurax zaraptor,
Nasonia vitripennis, 458
Trichomalopsis near *americana*, 458
Mymaridae,
Anagrus, 549
taxonomy, 549
Myzus nicotianae,
Myzus persicae, 602
random amplified polymorphic DNA-polymerase chain reaction, 602
Myzus persicae,
Myzus nicotianae, 602
random amplified polymorphic DNA-polymerase chain reaction, 602

N

Nasonia vitripennis,
Muscidifurax zaraptor, 458
Trichomalopsis near *americana*, 458
Neomegalotomus,
Hemiptera, 395
Megalotomus, 395
Neuroptera,
compound eyes, 113
Mallada basalis, 113
new genera,
Centroptiloides complex, 1
new species, 1
new species,
Centroptiloides complex, 1
new genera, 1
Nuctenea sclopetaria,
orb webs, 135
spider webs, 135
nuptial feeding,
Bittacus mastrillii, 235
prolonged copulation, 235

O

olfactometer,
pheromone, 872
Prostephanus truncatus, 872
orb webs,
Nuctenea sclopetaria, 135
spider webs, 135
Orius,
Anthocoris, 81
Deraeocoris, 81
overwintering, 430, 818
Calliphoridae, 818
Ceratitis capitata, 430
Muscidae, 818
Tephritidae, 430
oviposition pattern,
Riptortus clavatus, 737
sperm depletion, 737

P

paleogeography,
sea-surface dispersal, 260
vicariance, 260
Parabrochymena,
Brochymena, 800
taxonomic status, 800
parasitoid,
biological control, 164
Plutella xylostella, 164
parasitoids,
diapause, 821
fruit flies, 821
pectinase,
fourlined plant bugs, 94
mirid, 94
Pennisetum clandestinum,
Costa Rica, 435
Cynodon nlemfuensis, 435
Pentatomoidea, 363, 452
Cyrtocoridae, 363, 452
dimorphism (male), 363

trichobothria, 452
periodical cicada,
Magicicada, 493
Mogania minuta, 493
pheromone, 101, 872
Cephalonomia tarsalis, 101
gender recognition, 101
olfactometer, 872
Prostephanus truncatus, 872
Philopterus,
Corvidae, 782
Ischnocera, 782
Phyllophaga,
habitat, 288
soil, 288
Phylloplatypus pandani n. sp.,
Curculionoidea, 71
Platypodidae, 71
phylogeny,
first instars, 497
Trichoptera, 497
Pieridae,
Coliadinae, 524
Colias, 524
Piesma,
cubital vein, 848
stridulatory apparatus, 848
Platypodidae,
Curculionoidea, 71
Phylloplatypus pandani n. sp., 71
Plecoptera,
adults, 195
Trichoptera, 195
Plodia interpunctella,
Anastrepha suspensa, 350
Podisus maculiventris, 350
plume moth,
morphogenesis, 852
pupal wing, 852
Plutella xylostella, 164, 217
biological control, 164
insecticide resistance, 217
parasitoid, 164
quantitative genetics, 217
Pnigalio nemati,
defensive behavior, 858
Pontania proxima, 858
Pnticulothrips diosyrosi,
mating behavior, 27
sex ratio, 27
Podisus maculiventris, 315, 350
Anastrepha suspensa, 350
egg weight, 315
maternal age, 315
Plodia interpunctella, 350
Polistes,
Epiponini, 466
Polybia, 466
polyandry,
Apis cerana, 700
multiple mating, 700
Polybia,
Epiponini, 466
Polistes, 466
polyembryonic parasitoid,
Anagasta kuehniella, 808
Copidosomopsis tanytmema, 808
polyembryony,
Ageniaspis citricola, 654
superparasitism, 654
Pontania proxima,
defensive behavior, 858
Pnigalio nemati, 858
population dynamics,
Ceratitis capitata, 43
host infestation, 43
population genetics,
Apis mellifera, 52
mating, 52
predation,
Ceratitis capitata, 228
lek, 228
preimaginal stages,
Amiseginae, 598
Chrysididae, 598
prolonged copulation,
Bittacus mastrillii, 235
nuptial feeding, 235
Prostephanus truncatus, 741, 872
Cerambycidae, 741
olfactometer, 872
pheromone, 872
Teretriosoma nigrescens, 741
pupal wing,
morphogenesis, 852
plume moth, 852

Q

quantitative genetics,
insecticide resistance, 217
Plutella xylostella, 217

R

random amplified polymorphic DNA–polymerase chain reaction, 626, 719
  European corn borer, 719
  genetic diversity, 626
  molecular genetics, 719
random amplified polymorphic DNA-polymerase chain reaction,
  Myzus nicotianae, 602
  Myzus persicae, 602
random amplified polymorphic DNA–polymerase chain reaction,
  spider, 626
randomization tests,
  Aphis gossypii, 761
  morphometric analysis, 761
randomly amplified polymorphic DNA,
  Choristoneura, 248
  introgression, 248
range expansion,
  Iris oratoria, 422
  Stagmomantis limbata, 422
restriction fragment-length polymorphism,
  long polymerase chain reaction, 771
  mitochondrial DNA, 771
Rhopaea magnicornis,
  Antitrogus spp., 202
  Lepidiota frenchi, 202
Riptortus clavatus,
  oviposition pattern, 737
  sperm depletion, 737

S

Sabethine mosquitoes,
  cladistics, 572
  total evidence, 572
Scarabaeoidea,
  Mediterranean brushwood, 298
  Mediterranean wetland, 298
Schoettella,
  distribution, 779
  taxonomy, 779
Scolytidae, 392, 479
  bark beetle, 479
  chromosomes, 392
  Dendroctonus, 392, 479
seasonal biology,
  Enytus montanus, 87
  Tranosema rostrale rostrale, 87
seasonal forms,
  calling songs, 175
  sibling species, 175
sea-surface dispersal,
  paleogeography, 260
  vicariance, 260
sex ratio,
  mating behavior, 27
  Pnticulothrips diosyrosi, 27
sexual behavior,
  Acanthocephala, 863
  Coreidae, 863
sibling species, 175, 387, 834
  Anopheles culicifacies, 834
  calling songs, 175
  Halictus, 387
  malathion resistance, 834
  seasonal forms, 175
  sympatry, 387
snags,
  Cyrnellus fraternus, 641
  microdistribution, 641
soil,
  habitat, 288
  Phyllophaga, 288
Solanaceae,
  Coleoptera, 404
  Collabismus clitellae, 404
Solenopsis invicta,
  genetic correlation, 726
  heritability, 726
species diversity,
  Carabidae, 619
  ground beetles, 619
sperm depletion,
  oviposition pattern, 737
  Riptortus clavatus, 737
spider,
  genetic diversity, 626
  random amplified polymorphic DNA–polymerase chain reaction, 626
spider webs,
  Nuctenea sclopetaria, 135
  orb webs, 135
Spodoptera exigua,
  Diapetimorpha introita, 748
  Spodoptera frugiperda, 748
Spodoptera frugiperda,
  Diapetimorpha introita, 748
  Spodoptera exigua, 748
Stagmomantis limbata,

Iris oratoria, 422
range expansion, 422
Stator limbatus,
genetic variation, 128
heritability, 128
sterile insect technique, 139, 813
autocidal control, 813
behavior, 139
Mediterranean fruit fly, 139
Trialeurodes vaporariorum, 813
sting autotomy,
Apis mellifera, 754
defensive behavior, 754
stridulatory apparatus,
cubital vein, 848
Piesma, 848
subtropics,
diapause, 308
feeding, 308
superparasitism,
Ageniaspis citricola, 654
polyembryony, 654
sympatry,
Halictus, 387
sibling species, 387

T

taxonomic status,
Brochymena, 800
Parabrochymena, 800
taxonomy, 549, 779
Anagrus, 549
distribution, 779
Mymaridae, 549
Schoettella, 779
Tephritidae,
Ceratitis capitata, 430
overwintering, 430
Teretriosoma nigrescens,
Cerambycidae, 741
Prostephanus truncatus, 741
Termitidae,
mitchondrial DNA, 515
molecular phylogeny, 515
thermoregulation,
butterfly, 122
thin films, 122
thin films,
butterfly, 122
thermoregulation, 122
tiger beetles,
Cicindela spp., 185
DNA phylogeny, 185
tobacco budworm,
bollworm, 677
immunoassay, 677
total evidence,
cladistics, 572
Sabethine mosquitoes, 572
Tranosema rostrale rostrale,
Enytus montanus, 87
seasonal biology, 87
transgenic plants,
Bacillus thuringiensis, 303
endotoxin, 303
transmission mechanisms,
host plant relations, 661
host range, 661
Trialeurodes vaporariorum,
autocidal control, 813
sterile insect technique, 813
trichobothria,
Cyrtocoridae, 452
Pentatomoidea, 452
Trichogramma,
DNA sequencing, 410
Wolbachia, 410
Trichomalopsis near *americana*,
Muscidifurax zaraptor, 458
Nasonia vitripennis, 458
Trichoptera, 195, 497
adults, 195
first instars, 497
phylogeny, 497
Plecoptera, 195

V

ventral nerve cord transection,
allatectomy, 329
Heliothis virescens, 329
vicariance,
paleogeography, 260
sea-surface dispersal, 260

W

Wolbachia,
DNA sequencing, 410
Trichogramma, 410